

MATERIAL SAFETY DATA SHEET

PRODUCT NAME:

Exodus Paste

AS SOLD BY VETOQUINOL CANADA

A Service of

COMPAS

SAFETY DATA SYSTEMS

www.compasmsds.com

Product Identifier: EXODUS PASTE

DIN #: 02246766 (23.6 g) / 02246767 (47.2 g)

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT IDENTIFICATION AND USE			
MANUFACTURER'S NAME:	BIMEDA-MTC ANIMAL HEALTH INC.	SUPPLIER'S NAME:	BIMEDA-MTC ANIMAL HEALTH INC.
STREET ADDRESS:	420 BEAVERDALE ROAD	STREET ADDRESS:	420 BEAVERDALE ROAD
CITY AND PROVINCE:	CAMBRIDGE, ONTARIO	CITY AND PROVINCE:	CAMBRIDGE, ONTARIO
POSTAL CODE:	N3C 2W4	POSTAL CODE:	N3C 2W4
TELEPHONE #	519-654-8000	TELEPHONE #	519-654-8000
EMERGENCY RESPONSE:	CHEMTREC	TELEPHONE #	1-800-424-9300
CHEMICAL NAME:	CHEMICAL FAMILY:	CHEMICAL FORMULA:	
PRODUCT CODE: EXE003 EXE004	PRODUCT SIZE: 23.6 g 47.2 g	PRODUCT USE: Equine Anthelmintic	

SECTION 2 – HAZARDOUS INGREDIENTS			
HAZARDOUS INGREDIENTS	% (W/W)	CAS NUMBER	PRODUCT IDENTIFICATION NUMBER (PIN)
The chemical name for pyrantel pamoate is 1,4,5,6-tetrahydro-1-methyl-2-[2-(2-thienyl) ethenyl] pyrimidine pamoate	43.9%	22204246	

SECTION 3 – PHYSICAL DATA			
PHYSICAL STATE:	ODOUR AND APPEARANCE:	ODOUR THRESHOLD (ppm):	
	Pale yellow paste, apple flavour		
VAPOUR PRESSURE (mm Hg):	VAPOUR DENSITY (Air = 1):	EVAPORATION RATE (Ether = 1):	
BOILING POINT (DEG.C):	FREEZING POINT (DEG. C):	CRITICAL TEMPERATURE:	
pH (100%): N/A	SPECIFIC GRAVITY (H2O = 1): 1,1228	SOLUBILITY IN WATER: Insoluble in water.	COEFF: WATER/OIL DIST.:

SECTION 4 – FIRE AND EXPLOSION DATA		
FLAMMABLE: IF YES, UNDER WHICH CONDITIONS:		
MEANS OF EXTINCTION: Use water or a dry chemical fire extinguisher when fighting a fire where this material is located. If the fire is too large to extinguish in a short amount of time, use a self-contained breathing apparatus and full personal protective clothing.		
SPECIAL PROCEDURES:		
FLASHPOINT (Deg. C) AND METHOD: N/A	UPPER FLAMMABLE LIMIT (% BY VOLUME):	LOWER FLAMMABLE LIMIT (% BY VOLUME):
AUTOIGNITION TEMPERATURE (DEG. C):	HAZARDOUS COMBUSTION PRODUCTS:	
SENSITIVITY TO IMPACT:	SENSITIVITY TO STATIC DISCHARGE:	

Product Identifier: EXODUS PASTE

DIN #: 02246766 (23.6 g) / 02246767 (47.2 g)

SECTION 5 – HEALTH HAZARD DATA

Neither OSHA nor ACGIH exposure limits have been established for this material or its active drug ingredient. NOT FOR HUMAN CONSUMPTION. This material or its active drug ingredient are not carcinogens or potential carcinogens according to NTP, IARC OR OSHA. The most likely routes of entry into the human body are through ingestion or skin absorption. Short-term exposure to this material may cause some undesirable health effects such as skin rash. The potential effects of overexposure can be avoided by the use of proper protective equipment.

SECTION 6 –EMERGENCY AND FIRST AID PROCEDURES

If this material gets into your eyes, flush them immediately with large amounts of tap water for at least 15 minutes, lifting the lower and upper lids from time to time. If this material gets on your skin, wash with soap and water. Severely contaminated clothing should be removed and washed or discarded. Obtain Immediate Medical Attention if this material is swallowed, gets into your eyes or if one is exposed to excessive quantities.

SECTION 7 – PRECAUTIONS FOR SAFE HANDLING AND USE

Recover spills by absorption into an inert material. Wear all recommended safety equipment to avoid skin or eye contact. Dispose of in accordance with all applicable federal, provincial, and local regulations. Department of Transportation (DOT) regulations may apply when transporting these materials.

SECTION 8 – CONTROL MEASURES

Avoid overexposure. Protective gloves may be worn, if necessary, to reduce exposure. After handling material, wash thoroughly before leaving work or eating food.

SECTION 9 – ADDITIONAL INFORMATION

CONTACT: Bimeda-MTC Animal Health Inc., 420 Beaverdale Road, Cambridge, Ontario, Canada N3C 2W4, Telephone 519-654-8000.

This MSDS is based on a limited review of Bimeda-MTC Animal Health Inc.'s files, standard toxicology handbooks, and published MSDSs on identical or related materials. The information in this MSDS is furnished without warranty of any kind. The determination of whether and under what conditions this material should be used by your employees is yours to make.

SECTION 10 – PREPARATION DATA

DATE:	June 2003	TELEPHONE NUMBER:	519-654-8000
DATE UPDATED:	June 2008, August 2009, August 2010, May 2014		

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of the supplier, it is assumed that user of this material has been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this form. If user requires independent information on ingredients in this or any other material, we recommend contact supplier.