



Dominion Veterinary Laboratories Limited
Quality Animal Health Pharmaceuticals - Dedicated Service Since
1950
1199 Sanford Street - Winnipeg, Manitoba R3E 3A1
Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612
Toll Free: 1.800.465.7122 - www.domvet.com

Safety Data Sheet

Date: October 22, 2021

Product: Sulfur

Synonyms: Formed Sulfur,

Product Codes : 00P-SULFU

Manufacturer/Supplier: Dominion Veterinary Labs LTD.
1199 Sanford St
Winnipeg, Manitoba
R3E 3A1
Telephone: (204)-589-7361
Fax: (204)-943-9612

1. IDENTIFICATION

Product Identifier

Chemical Identity:	Sulfur
CAS No. and name:	7704-34-9
Formula:	Sg

Product use:

Animal feed, metal refining, and various industrial applications

Restrictions on Use:

Keep away from heat sources, sparks, or open flames

Emergency Contact:

Telephone: (204)-589-7361, Fax: (204)-943-9612 Monday-Friday 09:00 – 17:00

2. HAZARD IDENTIFICATION

Pictogram:



Classification: Skin irritation, Category 2

Signal Word: Warning

Hazard Statements:



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

Hazard Statement	H290: May be corrosive to metals. H303: May be harmful if swallowed. H316: May cause mild skin irritation. H320: May cause eye irritation. H335: May cause respiratory irritation.
Prevention Statement	P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P220: Keep away from oxidizing agents. P424: Use non-sparking tools when available. P243: Take precautionary measures against static discharge. P261: Avoid breathing dust/fume/gas/mist/vapors/spray. P264: Wash hands thoroughly after handling and before eating. P284: In case of inadequate ventilation, wear respiratory protection.
Response Statement	P362: Take off contaminated clothing. P363: Wash contaminated clothing before reuse. P370+P378: In case of a fire, use water fog, spray, or regular foam to extinguish. Do not use a direct water stream. P381: Eliminate all ignition sources.
Storage Statement	P402: Store in a dry place. P403: Store in a well-ventilated place. P404: Store in a closed container.

SECTION 3: INFORMATION ON INGREDIENT

Product	Percentage Contained	CAS Number
Sulfur	>99.5%	7704-34-9

Hazardous Ingredient: None

SECTION 4: FIRST-AID MEASURES

ROUTE	FIRST AID
Inhalation	Move victim to fresh air. Watch for signs of an allergic reaction. Use a bronchodilator inhaler if directed by asthma patient. Keep victim warm and quiet. If not breathing, give artificial respiration. If heart has stopped beating, start cardiopulmonary resuscitation (CPR). SEEK MEDICAL ATTENTION.



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

Ingestion	<p>Give one tablespoon of Syrup of Ipecac to induce vomiting. If vomiting does occur, give fluids again. If vomiting has not occurred in twenty minutes, the same dose of Syrup of Ipecac may be repeated one additional time.</p> <p>Alternatively, vomiting may be induced by touching the back of the throat with a finger.</p> <p>Do not give anything by mouth to an unconscious or convulsing person. SEEK MEDICAL ATTENTION.</p>
Skin	<p>Wash skin thoroughly with mild soap and water. Wash exposed clothing separately before reuse.</p>
Eyes	<p>Immediately flush eyes with plenty of water for 15 minutes, while holding upper and lower lid apart to insure rinsing of entire eye surface and lids. Do not use boric acid to rinse with. FOR SEVERE IRRITATION, SEEK MEDICAL ATTENTION, preferably an ophthalmologist.</p>

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Water fog, spray, or regular foam. Do not use a direct water stream.

Unsuitable Extinguishing Media Do not use solid streams of water, which could create sulfur dust clouds and cause an explosion or could move burning sulfur to adjacent areas.

Exposure Hazards Prevent human exposure to smoke, fumes, or products of combustion (sulfur oxide gases). Evacuate nonessential personnel from the fire area. If large fire, evacuate people downwind from fire. Consider evacuation for ½ mile in all directions.

Advice for Firefighters Firemen exposed to contaminated smoke should be immediately relieved and checked for symptoms of exposure of toxic gases. This should not be mistaken for heat exhaustion or smoke inhalation. **SEEK MEDICAL ATTENTION IMMEDIATELY.**

Protective Equipment Wear full-faced, self-contained breathing apparatus and full protective clothing.

Fire and Explosion Hazards **Fire will rekindle** until mass is cooled below 310°F (154°C). Cool surrounding areas with water fog to prevent re-igniting. Sulfur dust is **HIGHLY FLAMMABLE**. If suspended in air, it will ignite by friction, static electricity, heat, sparks, or flames. Sulfur dust clouds may explode.

Combustion Products Sulfur oxide gases.

SECTION 6: ACCIDENTAL RELEASE

Personal Precautions:	<p>Minor spills such as torn or ruptured containers should be repaired or patched with tape if possible. Place spilled material in a disposable container. Avoid getting dust in eyes.</p>
------------------------------	--



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

Protective Equipment	Maintain adequate ventilation. Wear a dust mask when dust is present or a respirator if smoke is present. Wear safety glasses..
Emergency Procedures	As an immediate precautionary measure isolate spills or leak areas. Eliminate all sources of ignition, such as flares, sparks, or flames, in the immediate area. No smoking. Ventilate closed spaces before entering
Environmental Precautions:	Do not allow runoff to enter lakes or waterways.
Containment/Cleanup :	Gently sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking, to avoid creating a dust cloud. Place sweepings in an appropriate chemical waste container for reclaiming or disposal in an approved facility. Wash spill site after clean-up is complete.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling All handling and conveying equipment should be properly grounded and bonded. Be careful not to create dust during handling. Avoid any conditions that might tend to create a dust explosion. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Keep away from heat, sparks, and flames. Use nonferrous tools, when available, to reduce sparking. Gently sweep or shovel up spilled materials using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas.

Conditions for Safe Storage, Including any Incompatibilities:

Containers should be stored in a cool, dry, well-ventilated area. Keep container tightly closed. Store away from flammable materials, sources of heat, flames, and sparks. Separate from chlorates, nitrates, and other oxidizing agents. Exercise due caution to prevent damage to or leakage from container

Incompatible Materials: Keep away from flammable materials, sources of heat, flame, sparks, chlorates, nitrates and other oxidizing agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures/Control: Maintain adequate ventilation in all areas. No flares or flames in area. Be careful not to create dust. Eliminate sources of ignition.

Personal Protective Equipment :



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

Respiratory	Wear dust masks and use NIOSH/MSHA approved dust respirator if airborne concentrations exceed exposure limits
Eyes/Face	Wear suitable, protective safety glasses to prevent eye irritation from dust
Hands	Wash hands thoroughly after handling and before eating or smoking.
Skin/Body	Wear suitable, protective clothing to prevent skin irritation from dust. Wash skin thoroughly after handling and before eating or smoking. Wash contaminated clothing separately before reuse.

Environmental Exposure

Controls Follow best practice for site management and disposal of waste. Avoid release to the environment.

General Industrial Hygiene

Considerations Protective equipment should be used in any situation that may result in hazardous exposure. Maintain good housekeeping practices to minimize dust build-up and dispersion. Eliminate sources of ignition. Use nonferrous tools to reduce sparking. Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to prevent sparking. Maintain adequate ventilation in all areas

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Formed shaped sulfur
Formula	S8 (Rhombic or monoclinic)
Odor	Odorless, or faint odor of rotten eggs
Odor Threshold	No data available
pH	No data available
Boiling Point	832° F (444° C)
Melting/Freezing Point	118-120°C (244-248°F)
Flash Point	207°C (405°F) Closed Cup
Evaporation Rate	No data available
Flammability	Sulfur dust may form combustible concentrations
Flammable/Explosion Limits	Upper: 6.38% (v) Lower: 0.17% (v)
Vapor Pressure	8 mmHg at 246°C (475°F) 1 mmHg at 183.8°C (362.8°F)
Vapor Density	No data available
Purity	99.5% Min.
Auto-Ignition Temperature	240°C (464°F)



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

Decomposition Temperature	Does not decompose
Viscosity	Not applicable
Specific Gravity	2.07 @ 70° F
Solubility in Water	Insoluble
Bulk Density	Lumps: 75-115 lbs. /ft ³ ; Pellets, Flake: 65-75 lbs. /ft ³

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability	Stable
Conditions to Avoid	Keep from heat sources, sparks, and open flames.
Incompatible Materials	Oxidizing agents, copper, copper alloys, steel, chlorates, nitrates.
Possibility of Hazardous Reactions	Oxidizing agents may react violently.
Hazardous Decomposition Products	Oxides of sulfur gases produced by burning sulfur.
Hazardous Polymerization	Will not occur.

SECTION 11 : TOXICOLOGICAL INFORMATION

Likely Routes of Exposure	Inhalation, ingestion, skin contact, and eye contact
Signs and Symptoms of Overexposure	Nose or throat irritation, coughing, chest discomfort, asthma, difficulty breathing, skin irritation, nausea, vomiting, stinging eye irritation, and hives.
Exposure Limits	No exposure limits have been established.
Acute Symptoms and Effects Inhalation	Prolonged inhalation may cause irritation of respiratory tract. Breathing of dust may aggravate asthma and other pulmonary diseases.
Eye Contact	Sulfur dust is an eye irritant.
Skin Contact	No adverse effects. Skin irritation may be aggravated in persons with existing skin lesions.
Ingestion	Ingested sulfur is converted to sulfides in the gastrointestinal tract (GI), and ingestion of 10 to 20 grams has caused irritation of the GI tract and renal injury. Swallowing large amounts may cause nausea and vomiting.
Long Term Effects	None known to humans
Toxicity	LD50 Oral: >5050 mg/kg (rats) Dermal: >2020 mg/kg (rats)



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

LC50 Inhalation @ 90%: >5.49-mg/L air concentration (rats)
 Skin Slightly irritating (rabbits)
 Eye Minimal irritation in non washed eyes-(rabbits)

<u>Sensitization</u> Not Established	<u>Reproductive Effects</u> Not Established	<u>Developmental Effects</u> Not Established	<u>Endocrine Disruptor</u> Not Established
<u>Carcinogenicity</u>		<u>Teratogenicity</u>	<u>Mutagenicity</u>
This product does not contain any ingredient designated by NTP, IARC, or OSHA as a probable human carcinogen.			

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

Toxicity to Fish **LC50** Oncorhynchus mykiss (rainbow trout) -> 180 mg/l -96h
LC50 Other fish- 866 mg/l -96h

Toxicity to Daphnia and Other Aquatic Invertebrates **EC50** Daphnia magna (Water flea) -> 5,000 mg/l -48h

Ecotoxicity No data available
Mobility No data available
Degradation No data available
Bioaccumulation No data available
Results of PBT and vPvB Assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

SECTION 13: DISPOSAL

Waste Treatment Methods

Product Waste Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

Packaging Waste Dispose of content and/or container in accordance with local, regional, national and/or international regulations.

SECTION 14: TRANSPORT INFORMATION

According to the US Department of Transportation, Office of Hazard Materials Standards 49 CFR, sulfur is not subject to the requirements of this subchapter if transported in a non-bulk packaging or if formed to a specific shape (for example, prills, granules, pellets, pastilles, or flakes). A bulk packaging containing sulfur is not subjected to the placarding requirements of



Dominion Veterinary Laboratories Limited

Quality Animal Health Pharmaceuticals - Dedicated Service Since 1950

1199 Sanford Street - Winnipeg, Manitoba R3E 3A1

Telephone: (204) 589.7361 / 589.7362 - Fax: (204) 943.9612

Toll Free: 1.800.465.7122 - www.domvet.com

subpart F of this part, if it is marked with the appropriate identification number as required by subset D of this part.

DOT DOMESTIC:

Shipping Name:	Sulfur Granules, Sulfur Pellets, Sulfur Flake, Arrow Roll
Hazard Class:	Not regulated
ID Number:	None
Packing Group:	Not applicable
Label:	None required
Placard:	None required
Hazardous Substance/Rq:	Not applicable

This product is not a Marine Pollutant as defined in 40 CFR part 172.

SECTION 15: REGULATORY INFORMATION

TSCA This product is listed on the TSCA Inventory at CAS Registry Number 7704-34-9.

CERCLA Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA)

- If this product is accidentally spilled, it is not subject to any special reporting. We recommend that you contact state and local authorities to determine if there are other local reporting requirements.

SARA TITLE III Superfund Amendments and Reauthorization Act, Title III

Sections 311/312: None. Section 313: None. Section 302: None.

RCRA Resource Conservation and Recovery Act

Not subject to reporting because sulfur is not identified as a hazardous waste.

SECTION 16: OTHER INFORMATION

The information contained herein is, to the best of our knowledge, true and accurate. Any recommendations or suggestions are made without obligation on our part and the Company accepts no liability to any customers, their employees or any other person whatsoever for any loss, injury or damage whether direct or consequential, which may be caused by an error or emission from this sheet even if negligence or otherwise.

Preparation Date: 07/03/08

Revision Date: 10/22/21

Issued By: Dominion Vet Labs. Ltd.

Carol Lamirande/Office Manager