

Doktor Doom Insect Killer for use on Fruit, Vegetables, Flowers
and Ornamental Plants

DOMESTIC

GUARANTEE:

Pyrethrins.....0.02%
Piperonyl butoxide.....0.20%

Contains Sodium benzoate at 0.20% as a preservative

REG. NO.: 32095 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL BEFORE USING

POTENTIAL SKIN SENSITIZER

Net Contents: 500 mL – 4 L

753146 AB Ltd O/A Ultrasol Industries
10755-69 Ave,
Edmonton, Alberta T6H 2C9
1-800-452-0023

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

Apply with conventional mechanical or compressed air equipment. This product may be used indoors on listed ornamental plants. It may also be used outdoors and in greenhouses on listed ornamental plants and listed food crops throughout the growing season. It may also be used as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatments weekly or as needed to control infestations. May be applied one day before harvest. Do not spray in direct sunlight. Spraying in early morning or in the evening is preferred. Hit insects directly with spray. Use with caution on young plants and new growth. Spray when air is still and temperature is below 32°C.

Crop	Insect Pest
Asparagus	Asparagus Beetles, Japanese Beetle
Beans	Aphids, Leafhoppers, Whiteflies, Mexican bean beetles, 12-spotted cucumber beetles, Japanese beetle
Broccoli	Aphids, Cabbage loopers, Cross-striped cabbageworms, Diamondback moth larvae, Flea beetles, Harlequin bugs, Imported cabbageworms, Stink bugs, Japanese beetle
Celery	Green peach aphids, Cabbage loopers, Leaf tiers, Japanese beetle
Cranberries	Wireworms, Leafhoppers
Eggplants	Blister beetles, Colorado potato beetles, Flea beetles, Green peach aphids, Japanese beetle
Lettuce	Cabbage loopers, Green peach aphids, Diamondback moth larvae, Imported cabbageworms, Japanese beetle
Mustard Greens, Kale, Collards, Turnips	Imported cabbageworms, Diamondback moth larvae, Aphids, Cabbage loopers, Japanese beetle
Peppers	Green peach aphids, Japanese beetle
Potatoes	Aphids, Colorado potato beetles, Flea beetles, Leafhoppers
Radishes	Aphids, Flea beetles, Japanese beetle
Spinach	Aphids, Cabbage loopers, Webworms, Japanese beetle
Tomatoes	Green peach aphids, Colorado potato beetles, Stink bugs, Flea beetles, Japanese beetle
Ornamentals: African violet, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Crassula, Dahlias, Delphiniums, Dogwood, English Ivy,	Flea beetles, Leafhoppers, Whiteflies, Spider mites, Aster beetles, Rose chafer, Rose slug, Tarnished plant bug, Aphids, Japanese beetle

Euonymus, Fuschia, Geraniums, Gladioli, Kentia Palm, Laurel, Marigold, Rhododendron, Rose, Rubber Plant, Snapdragon, Stock, Wandering Jew, Zinnia	
---	--

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash thoroughly with soap and water after using. When spraying indoors cover fish bowls and remove pets for one hour. Remove or cover all exposed foods and cooking utensils before spraying.

Do not use on Maiden Hair Ferns.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move the person to fresh air. If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have the person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Wrap container and dispose of in household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Optional Label Statements

Ready to Use

Shake Well – Water-based

Non-flammable

Pictures

Liquid pump spray

0.02% Pyrethrins from Chrysanthemum Flower Pyrethrum

100% Canadian owned and operated