

Safety Data Sheet

Hurri Kane Orange

SECTION 1. IDENTIFICATION

Product Identifier Hurri Kane
Other Means of Identification L1014
Recommended Use Cleaner.
Restrictions on Use Industrial Use Only - Keep Away from Children,
Manufacturer Kane Veterinary Supplies Ltd., 11204 - 186 Street, Edmonton, AB Canada
Supplier Identifier Kane Veterinary Supplies Ltd., 11204 - 186 Street, Edmonton, AB Canada
Emergency Phone No. CANUTEC, 613 966 - 6666, 24 Hours
Alberta Poison Centre, (800) 332 - 1414, 24 Hours
SDS No. 00680401

SECTION 2. HAZARD IDENTIFICATION

Classification

Flammable liquid - Category 3; Acute toxicity (Oral) - Category 4; Serious eye damage - Category 1; Skin sensitization - Category 1

Label Elements



Signal Word:
Danger

Hazard Statement(s):

Harmful if swallowed.
Causes serious eye damage.
May cause an allergic skin reaction.

Precautionary Statement(s):

Prevention:
Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Keep container tightly closed.
Use explosion-proof electrical, ventilating, and lighting equipment.
Use non-sparking tools.
Ground/bond container and receiving equipment.
Wash hands and skin thoroughly after handling.

Product Identifier: Kane Orange
Date of Preparation: May 20, 2018
Date of Last Revision: May 20, 2018

SDS No.: 00680401

Page 01 of 07

Do not eat, drink or smoke when using this product.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves/protective clothing/eye protection/face protection.

Response:

IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.
Rinse mouth.
IF ON SKIN: Wash with plenty of water/
If skin irritation or rash occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Wash contaminated clothing before reuse.

Storage:

Store in accordance with local, regional, national and international regulations.
Store in a well-ventilated place. Keep cool.

Disposal:

Dispose of contents and container in accordance with local, regional, national and international regulations.

Other Hazards

Repeated exposure may cause skin dryness or cracking.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture:

Chemical Name	CAS No.	%	Other Identifiers	Other Names
d-Limonene	5989-27-5	60-90		
Alcohols, C9-11, ethoxylated, liquids	68439-46-3	5-10		
COCONUT DIETHANOLAMIDE	68603-42-9	0.1-1		

Notes

Contact manufacturer/supplier in case of an emergency.
The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If symptoms develop or persist, call a physician.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Quickly and gently blot or brush away excess chemical. Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. If symptoms develop or persist, seek medical advice/attention.

Eye Contact

Avoid direct contact. Wear chemical protective gloves if necessary. Quickly and gently blot or brush chemical off the face. Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. If symptoms develop or persist, seek immediate medical advice/attention.

Ingestion

Never give anything by mouth if person is rapidly losing consciousness, or is unconscious or convulsing. Do not

Product Identifier: Kane Orange - Ver. 1

SDS No.: 00680401

Date of Preparation: May 20, 2018

Date of Last Revision: May 20, 2018

Page 02 of 07

induce vomiting. Rinse mouth with water.
Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Immediate Medical Attention and Special Treatment

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Product

Heating increases the release of toxic vapour. Closed containers may rupture violently when heated releasing contents.

In a fire, the following hazardous materials may be generated: irritating chemicals; toxic chemicals; very toxic carbon monoxide, carbon dioxide.

Special Protective Equipment and Precautions for Fire-fighters

Evacuate area. Fight fire from a safe distance or a protected location. Approach fire from upwind to avoid hazardous vapours or gases. Knock down vapours or gases with water fog or fine water spray.

For a massive fire, immediately evacuate the area and use unmanned hose holder or monitor nozzles.

Before entry, especially into confined areas, use an appropriate monitor to check for: toxic gases or vapours.

If a fire occurs in the vicinity of the material, isolate materials not yet involved in the fire, and move containers from the fire area if this can be done without risk. If not possible, cool fire-exposed material with flooding quantities of water to absorb heat, keep containers cool and protect fire-exposed material. Cooling should continue until well after the fire is out.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Emergency responders: evacuate the area immediately. Isolate the hazard area. Keep out unnecessary and unprotected personnel. Do not touch damaged containers or spilled product unless wearing appropriate protective equipment. Increase ventilation to area or move leaking container to a well-ventilated and secure area. Remove or isolate incompatible materials as well as other hazardous materials.

Environmental Precautions

It is good practice to prevent releases into the environment.

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Stop or reduce leak if safe to do so.

Large spills or leaks: do not use absorbents. Contain spill using noncombustible material such as vermiculite, earth or sand. Place used absorbent into suitable, covered, labelled containers for disposal. Contaminated absorbent poses the same hazard as the spilled product. Follow similar procedure for small spills or leaks.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid breathing in this product. Do not swallow. Do not get in eyes. Prevent skin contact. Only use where there is adequate ventilation. Avoid generating vapours or mists. Avoid heating that will increase the amount of vapours.

Product Identifier: Hurri Kane Orange - Ver. 1

SDS No.: 00680401

Date of Preparation: May 20, 2018

Date of Last Revision: May 20, 2018

Page 03 of 07

Prevent accidental contact with incompatible chemicals.

Prevent uncontrolled release of product. Avoid release to the environment. Do not spray on an open flame or other ignition source. Do not pierce or burn container, even after use. Do not use near welding operations or other high energy sources. Do not weld, cut or perform hot work on empty container until all traces of product have been removed. Electrically bond and ground equipment. Ground clips must contact bare metal.

General hygiene considerations: eliminate heat and ignition sources such as sparks, open flames, hot surfaces and static discharge. Post "No Smoking" signs. Wash hands thoroughly after handling this material. Do NOT eat, drink or store food in work areas. Wash hands thoroughly after handling this product and before eating, using the washroom or leaving work area. Launder clothes before rewearing. Inform laundry personnel of product hazard(s).

Conditions for Safe Storage

Store in an area that is: separate from incompatible materials (see Section 10: Stability and Reactivity), well-ventilated, cool and dry, clear of combustible and flammable materials (e.g. old rags, cardboard), out of direct sunlight and away from heat and ignition sources. Electrically bond and ground containers. Ground clips must contact bare metal. Store in a closed container. Do not handle swollen drums. Get expert advice. Avoid freezing.

Empty containers may contain hazardous residue. Store separately. Keep closed. Follow all precautions given on this safety data sheet. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
d-Limonene					30 ppm	

Appropriate Engineering Controls

Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Use non-sparking ventilation systems, approved explosion-proof equipment and intrinsically safe electrical systems in areas where this product is used and stored. Exhaust directly to the outside, taking any necessary precautions for environmental protection.

Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

If engineering controls do not maintain airborne contaminant concentration at a level which is adequate to protect worker health, an approved respirator may be appropriate. Respirator selection, use and maintenance must be in accordance with regulatory requirements, if applicable.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Orange.
Odour	Citrus
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	Not available (melting); ~ -40 °C (-40 °F) (freezing)
Initial Boiling Point/Range	~ 165 °C (329 °F)
Flash Point	50 °C (122 °F)
Evaporation Rate	Not available
Flammability (solid, gas)	Not applicable (liquid).

Product Identifier: Kane Orange - Ver. 1

SDS No.: 00680401

Date of Preparation: May 20, 2018

Date of Last Revision: May 20, 2018

Page 04 of 07

Upper/Lower Flammability or Explosive Limit	6.5% (upper); 0.7% (lower)
Vapour Pressure	~ 0 kPa (-1 mm Hg) at 20 °C
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	0.85
Solubility	Slightly soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not applicable
Decomposition Temperature	Not available
Viscosity	Not available (kinematic); Not available (dynamic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions of use.

Chemical Stability

Normally stable. Limonenes are very sensitive to air or oxygen, reacting rapidly forming peroxides, which can cause skin sensitization.

Possibility of Hazardous Reactions

None expected under normal conditions of storage and use.

Conditions to Avoid

Open flames, sparks, static discharge, heat and other ignition sources. Incompatible materials.

Incompatible Materials

Strong oxidizing agents (e.g. perchloric acid), strong acids (e.g. hydrochloric acid).

Hazardous Decomposition Products

Irritating chemicals; toxic chemicals.

Very toxic carbon monoxide, carbon dioxide.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
d-Limonene		4400 mg/kg (male mouse)	
Alcohols, C9-11, ethoxylated, liquids		> 2000 mg/kg (rat)	
COCONUT DIETHANOLAMIDE		5000 mg/kg (rat)	2000 mg/kg (rat)

Skin Corrosion/Irritation

Human experience and animal tests show mild irritation.

Serious Eye Damage/Irritation

Human experience and animal tests show serious eye damage.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation.

Skin Absorption

No information was located.

Ingestion

Harmful based on information for closely related materials. May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

Not known to be an aspiration hazard.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause effects similar to STOT (Specific Target Organ Toxicity) - Single Exposure, as described above.

Respiratory and/or Skin Sensitization

Not known to be a respiratory sensitizer. Skin sensitizer. (d-Limonene)

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
d-Limonene	Group 3			
COCONUT DIETHANOLAMIDE	Group 2B			

Suspected of causing cancer. (COCONUT DIETHANOLAMIDE)

Reproductive Toxicity

Development of Offspring

Not known to harm the unborn child.

Sexual Function and Fertility

Not known to cause effects on sexual function or fertility.

Effects on or via Lactation

Not known to cause effects on or via lactation.

Germ Cell Mutagenicity

Not known to be a mutagen.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

This section is not required by WHMIS. This section is not required by OSHA HCS 2012.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

This section is not required by OSHA HCS 2012. This section is not required by WHMIS 2015.

SECTION 14. TRANSPORT INFORMATION

This section is not required by WHMIS 2015. This section is not required by OSHA HCS 2012.

Special Precautions Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

This section is not required by OSHA HCS 2012. This section is not required by WHMIS.

Product Identifier: PROSOL 90 - Ver. 1

SDS No.: 00680401

Date of Preparation: May 20, 2018

Date of Last Revision: May 20, 2018

Page 06 of 07

SECTION 16. OTHER INFORMATION

SDS Prepared By Chemisphere Solutions Ltd
Phone No. (780) 460-4670
Date of Preparation May 20, 2018
Date of Last Revision May 20, 2018
Key to Abbreviations IARC = International Agency for Research on Cancer
HSDB® = Hazardous Substances Data Bank
OSHA = US Occupational Safety and Health Administration
References CHEMINFO database. Canadian Centre for Occupational Health and Safety (CCOHS).
HSDB® database. US National Library of Medicine. Available from Canadian Centre for Occupational Health and Safety (CCOHS).

Product Identifier: PROSOL 90 - Ver. 1
Date of Preparation: May 20, 2018
Date of Last Revision: May 20, 2018

SDS No.: 00680401

Page 07 of 07